



Product innovation

OWAcoustic® premium Bolero

The elegant solution

The elegant solution

OWAcoustic® premium Bolero

Under a smoothly structured surface the performance of a new product generation is hidden: OWAcoustic® premium Bolero: Elegance, high acoustic performance and convincing fire protection.





Performance in a new look

Hardly any other high-absorbing ceiling tile „hides“ its performance behind so much optical finesse. OWAacoustic® premium Bolero combines smooth, but in detail finely structured surface with outstanding sound absorption of 0.85.



Living, working, well-being

Modern feel-good offices, learn-friendly classrooms, meeting places – with OWAacoustic® premium Bolero you can design the ceiling system according to the needs. The tiles are not only suitable for acoustically sensitive areas in office buildings and educational facilities, but also for corridors, lobbies and entrance halls.





OWAconsult® recommends

OWAacoustic® premium Bolero:


A pearl in your acoustic concept

The market wants highly effective, but affordable acoustic solutions, which convince optically. Precisely on these requirements we designed our new mineral wool ceiling tile OWAacoustic® premium Bolero: fleece-covered, with smooth surface and good light reflection.

OWAcoustic® premium Bolero – technical data

Material	mineral wool tile, fleece-covered
	
Building material class	A2-s1,d0 according to EN 13501-1
Thickness	approx. 15 mm
Colour	white
Light reflection	approx. 84 (ISO 7724-2, ISO 7724-3)
Sound absorption	 $\alpha_w = 0.85/\text{NRC up to } 0.90$
Moisture resistance	 up to 95 % RH
Fire resistance*	 up to F 90 (DIN 4102) up to REI 90 (EN 13501-2)

* dependent on system, soffit and other additional measures



Systems	Exposed systems		
	S 3	S 15	S 15 b
Module size in mm			
600 x 600	•	•	•
625 x 625			
600 x 1200	•	•	
625 x 1250			

OWA

Odenwald Faserplattenwerk GmbH

Dr.-F.-A.-Freundt-Straße 3

63916 Amorbach

Tel. +49 9373 2 01-0

Fax +49 9373 2 01-1 30

www.owa.de · E-Mail: info@owa.de